

Indoor/Outdoor Illuminators

- S150-W** **150-watt Wet/Dry illuminator White light only**
\$700.00 The S150 is a high intensity, metal halide illuminator producing 15,000 lumens of intense light (4,000 degrees Kelvin) and will provide up to 10,000 hours of lamp life. It will handle up to 750 strands of cable. This unit comes with controls to turn unit on/off. A factory installed remote control is available for only \$225.00. A retrofit programmable 1-9 hr. Dusk to Dawn Light Sensor is available for \$34.99. Replacement 3,000 degree Kelvin lamps also available. These produce a warmer light for side emitting cable projects
Dimensions: 6.50" H x 11"W x 12" L
Weight: 20 lbs
Warranty: Limited Limited Lifetime (with \$175 fee after the first year)
- S150-5** **150-watt Wet/Dry illuminator with 5 color wheel**
\$725.00 Same as above with an 5 color - color wheel Now available with wireless remote
- S150-8** **150-watt Wet/Dry illuminator with 8 color wheel**
\$775.00 Same as above with an 8 color - color wheel Now available with wireless remote
- S150-WD** **150-watt Wet/Dry illuminator with Dimming wheel**
\$775.00 Same as above but with a dimming wheel. White light only.
- ST150-W** **150-watt Wet/Dry TOWER illuminator White light only**
\$600.00 The ST150 is a high intensity, metal halide illuminator producing 15,000 lumens of intense light and will provide up to 10,000 hours of lamp life. It will handle up to 750 strands of cable. Designed to blend into the shrubbery, it is mounted on the ground.
(Primarily used for pool or garden illumination)
- ST150-5** **150-watt Wet/Dry TOWER illuminator with 5 color wheel**
\$625.00 Same as above with an 5 color - color wheel A factory installed remote control is available for only \$225.00. A retrofit programmable 1-9 hr. Dusk to Dawn Light Sensor is also available for \$34.99.
- ST150-8** **150-watt Wet/Dry TOWER illuminator with 8 color wheel**
\$675.00 Same as above with an 8 color - color wheel
- DEL 150-8 DMX** **150-watt Wet/Dry DMX illuminator with 8 color Color Wheel**
\$949.00 The DEL 150 unit is the only outdoor 150w DMX controlled unit that we offer. It has a 15,000 lumen lamp rated for 10,000 hours and a 500 fiber optic strand capacity. Illuminator is set up for hard wiring. For 6' power cord and power/ color wheel on/off switches add \$125
- DEL-150HID-8LC Wet** **150 watt Wet/Dry illuminator with wire line controlled color wheel**
\$899.00 The DEL-150HID unit is a high intensity metal halide illuminator with a 6,000 hr, 12,500 lumen lamp. It will handle up to 1,000 strands of 0.75mm cable. This unit has a second power cord that directly controls the color wheel motor, allowing you to slow down or stop the color wheel without a DMX system.
Dimensions: 6.6"H x 12" W x 11"L Weight: 18.1 lbs -IP 44
- DEL 250-W** **250-watt Wet/Dry illuminator White light only**
\$1,599.00 The DEL 250 is a indoor/outdoor illuminator for large side emitting projects where light intensity is crucial. 4,000 hour lamp life.
Illuminator is set up for hard wiring. For 6' power cord and on/off switch add \$100
- DEL 250-5** **250-watt Wet/Dry illuminator 5 color Color Wheel**
\$1,625.00 The DEL 250 is a indoor/outdoor illuminator for large side emitting projects where light intensity is crucial. 4,000 hour lamp life. DMX control option available for \$399.00.
Illuminator is set up for hard wiring. For 6' power cord and power/ color wheel on/off switches add \$125
- DEL 250-8** **250-watt Wet/Dry illuminator 8 color Color Wheel**
\$1,650.00 The DEL 250 is a indoor/outdoor illuminator for large side emitting projects where light intensity is crucial. 4,000 hour lamp life. DMX control option available for \$399.00.
Illuminator is set up for hard wiring. For 6' power cord and power/ color wheel on/off switches add \$125



SL-75 75-watt Wet/Dry Illuminator with 5 color - color wheel

\$259.00

75 watt halogen light source will last 4,000 hours. It has a 3/4 amp draw, 120V, 12V transformer and current spike protection. It comes with a 6 ft cord, on/off and color wheel switches.
225 strand cable ready, 350 option. 120VAC standard, 12VDC option
Dimensions: 5"Hx5.75"WX9.25"L
Warranty: Limited Lifetime (with \$75 fee after the first year)
(Primarily used for pool or garden illumination)



SL-100 100-watt Wet/Dry Illuminator with 5 color - color wheel

\$360.00

100 watt halogen light source will last 1,500 hours. It has a 1 amp draw, 120V, 12V transformer and current spike protection. It comes with a 6 ft cord, on/off and color wheel switches.
755 strand cable 120VAC standard, 12VDC option
Dimensions: 5"Hx5.75"WX9.25"L
Warranty: Limited Lifetime (with \$75 fee after the first year)
(Primarily used for pool or garden illumination)

Indoor/Outdoor RGB LED Illuminators

DiCon RGB

**\$495.00 to
\$595.00**

DiCon's FiberLamp family offers a reliable compact solution for the multi-color and dynamic lighting markets. State-of-the-art solid-state lighting technology enables FiberLamp illuminators to couple a vast array of light combinations into a variety of fiber applications. FiberLamps save energy through the use of high efficiency bright LEDs capable of delivering light to where you need it most. FiberLamps come in multi-color RGB and red, green, or blue configurations. Light output rivals the X20-75 illuminator. Click [HERE](#) for more information.



Indoor/Dry Location I Illuminators

SR150-8 150-watt Dry illuminator with 8 color wheel

\$700.00

The SR150 is a high intensity, metal halide illuminator producing 12,500 lumens of intense light and providing up to 6,000 hours of lamp life. It will handle up to 850 strands of cable. This unit comes with wired remote to adjust color wheel speed. This unit is for experienced users.

Dimensions: 7.75" H x 9.5"W x 12" L
Weight: 20 lbs

DEL150-8 M/S/T

\$1,199.00

150-watt DMX illuminator with 8 color wheel, twinkle, shutter

150W Metal Halide DMX capable high intensity illuminator suitable for both PMMA and glass fibers. Seven Diachroic colors + white plus twinkle function allows you to change colors and/or have a twinkle effect. Also has shutter for quick on/off and strobing.

S150-8DMX M/S

\$699.00

150-watt Dry illuminator with DMX Master/Slave unit

The S150-8DMX M/S is a high intensity illuminator that is fully programmable via DMX512. It is sound activated and can work in either a stand-alone mode or Master/Slave mode for large projects. It comes with 8 color-color wheel or 7 color wheel with white light dimming option.



S150-8DMX M/S/D

\$825.00

150-watt Dry Dimming illuminator with DMX Master/Slave

The S150-8DMX M/S/D is a high intensity illuminator that is fully programmable via DMX512. It is also sound activated and can work in either a stand alone mode or Master/Slave mode for large projects.

It features slow-roll, dimming, shimmer and rainbow effects.



I575-8DMX M/S/D

\$2,799.00

575-watt Dry Dimming illuminator with DMX Master/Slave

The I575-8DMX M/S/D is a 575W/220V high intensity illuminator that delivers 49,000 lumens! It is fully programmable via a DMX512 controller and can work in stand alone mode or Master/Slave mode for large projects. Unit capacity is 3000 strands of cable.

Please call for more information

It features slow-roll, dimming, strobe, and twinkle effects.



S100-8DMX M/S**100-watt Dry illuminator with DMX Master/Slave unit****\$425.00**

The S100-8DMX M/S is a 100-watt halogen illuminator that is fully programmable via DMX512. It is sound activated and can work in either a stand-alone mode or Master/Slave mode for large projects. It comes with 8 color wheel that is speed adjustable. 550 strand cable capacity 120VAC standard

DEL-150HID-8LC Dry**150 watt Dry illuminator with wire line controlled color wheel****\$799.00**

The DEL-150HID unit is a high intensity metal halide illuminator with a 6,000 hr, 12,500 lumen lamp. It will handle up to 1,000 strands of 0.75mm cable. This unit has a second power cord that directly controls the color wheel motor, allowing you to slow down or stop the color wheel without a DMX system.
Dimensions: 6.6"H x 11.75" W x 10.75"L Weight: 9 lbs

SR-100**100-watt Dry Illuminator with 4 color - color wheel****\$259.00**

100 watt halogen light source is rated for 1,500 hours. It has a 1 amp draw of 120V, 12V transformer and current spike protection. It comes with a 6 ft cord and remote control.
550 strand cable capacity 120VAC standard, 230 VAC option
Dimensions: 5"Hx5.75"Wx9.25"L

SR-75**75-watt Dry Illuminator with 4 color - color wheel****\$189.00**

75 watt halogen light source will last 3,000 hours. It has a 1 amp draw of 120V, 12V transformer and current spike protection. It comes with a 6 ft cord and remote control.
325 strand cable capacity 120VAC standard, 230 VAC option
Dimensions: 5"Hx5.75"Wx9.25"L

SR-50**50-watt Dry Illuminator with 4 color - color wheel****\$169.00**

50 watt halogen light source is rated for t 4,000 hours. It has a 1 amp draw of 120V, 12V transformer and current spike protection. It comes with a 6 ft cord and remote control.
325 strand cable capacity 120VAC standard, 230 VAC option
Dimensions: 5"Hx5.75"Wx9.25"L

X20-75**SINGLE PORT 75-watt DRY illuminator with 5 color wheel****\$210.00**

An interior illuminator with 5 color wheel, twinkle wheel available.
750 strand cable ready. 120VAC standard comes with a 6 foot cord or cable for hardwiring. Comes with 1 rpm wheel, 1/2 rpm available.
Used for professional star ceilings, staircase lighting, cabinets, niche lighting etc.
Available in 20-35-50-75 watt. Also in 12VDC (\$325 list price)
Warranty: Limited Lifetime (with \$75 fee after the first year)

**X20-75WD****SINGLE PORT 75-watt DRY illuminator with dimming wheel****\$295.00**

Same as above but white light only, with dimming wheel.
Available in 20-35-50-75 watt. Also in 12VDC (\$355 list price)
All other options are the same

Indoor/Outdoor 250W Halogens

DEL250QH-(Dry or Wet)-W 250-watt Quartz Halogen - White light Only**\$399.00 DRY****\$499.00 WET**

250 watt Quartz Halogen light source . Instant on/off. Derated to 165W for a average lamp life of 1,500 hours. It has a 2.7 amp startup draw and 2.0 amp running draw at 120V.
1000 strand cable capacity 120VAC standard, 230 VAC option
Two line cord for remote dimming available for \$75.00
Dimensions: (DRY) 6.6"H x 11.75" W x 10.75"L (WET) 6.6"H x 12" W x 11"L
Weight: (DRY) 9 lbs (WET) 18.1 lbs -IP 44

DEL250QH-(Dry or Wet)-8 250-watt Quartz Halogen - 8 Color Wheel (Twinkle Wheel Option)**\$549.00 DRY****\$699.00 WET**

250 watt Quartz Halogen light source . Instant on/off. Derated to 165W for a average lamp life of 1,500 hours. It has a 2.7 amp startup draw and 2.0 amp running draw at 120V.
1000 strand cable capacity 120VAC standard, 230 VAC option.
Two line cord for remote dimming available for \$75.00
Three line cord for remote dimming and color wheel motor control available for \$125.00
Dimensions: (DRY) 6.6"H x 11.75" W x 10.75"L (WET) 6.6"H x 12" W x 11"L
Weight: (DRY) 9 lbs (WET) 18.1 lbs -IP 44 Please specify 8 color or twinkle wheel.

DEL250QH-(Dry or Wet)-8 DMX 250-watt Quartz Halogen - 8 Color Wheel & DMX Control**\$799.00 DRY**

250 watt Quartz Halogen light source . Instant on/off. Derated to 165W for a

\$899.00 WET average lamp life of 1,500 hours. It has a 2.7 amp startup draw and 2.0 amp running draw at 120V.
1000 strand cable capacity 120VAC standard, 230 VAC option.
5-Pin XLR to 3-Pin XLR cable: \$15.00 each (Use these if your DMX controller is 3 pin)
Dimensions: (DRY) 6.6"H x 11.75" W x 10.75"L (WET) 6.6"H x 12" W x 11"L
Weight: (DRY) 9 lbs (WET) 18.1 lbs -IP 44

Illuminator Accessories

Extra color wheel Fits the 75-watt illuminators

\$20.00

Extra twinkle wheel Fits the 75-watt illuminators

\$40.00

Extra twinkle wheel Fits the 150-watt Metal Halide illuminators

\$75.00

Factory installed wireless remote For S150, ST150 series

\$225.00

Illuminator Control Systems

DASHLIGHT Virtual Controller Gold

\$599.00 The best Dashlight interface with more versatility.
Same features as DVC2 512 with 1024 DMX channels
2x512 DMX OUT (Live) or 512 DMX OUT (Stand Alone) with 3 Pin XLR
Build-In Real Time Clock and Time Triggering without computer
Additional power supply connector (9DC) for memory mode required
Internal memory (96k) for up to 22000 steps (depending on the number of channels used)
2 buttons to scroll between scenes, programs and sequences
The third button can be used for a Stand Alone dimmer function



DVC2 GOLD works with Virtual Controller 1, 2 and Virtual 3D software. This interface controls 2x512 DMX channels through the computer or 512 DMX channels in Stand Alone mode. The Stand Alone mode is easy to use and versatile : program and load your scenes in the internal memory of the interface, power with an external 9-12Volt DC power source and select your scene using the buttons and it sends the DMX signals that you have pre-programmed to your lighting fixtures. The new Build In CLOCK function is simply wonderful : you can trigger a scene when you want, tomorrow at 10 pm, next week, once a year, repeat the scene every hour, play it only 30 minutes, add a few minutes of show every day.

DASHLIGHT Virtual Controller Standard

\$399.00 An easy to use and effective DMX512 controller.
512 DMX OUT and 512 DMX IN with 3 Pin XLR
Plug and play USB 2.0 interface. Power taken via the USB interface.
HE10 connector: Trigger scenes and effects through direct simple contacts closures (allows up to 255 triggering actions)
Compatible with any type of DMX 512 fixtures (lights and consoles)
2 year guarantee DVC2 512 works with Virtual Controller 1, 2 and Virtual 3D software.
This interface controls 512 DMX channels and must be connected to a PC.

DASHLIGHT Virtual Controller Basic

\$249.00 A cheap and easy to use controller.
128 DMX OUT (512 DMX OUT available with the programming kit)
Plug and play USB 2.0 interface with power via USB interfaces
Compatible with any type of DMX 512 fixtures (lights and consoles)
1 year guarantee
DVC 100 BASIC works with Virtual Controller 1 software but is restricted to a max of 128 channels.
This interface must be connected to a PC. You can use the Delphi, Visual Basic and Visual C++ sample codes from the programming kit to create your own DMX software applications and use the 512 DMX channels.

DEL-SC1216 192 Channel DMX Control Panel

\$180.00 Programmable controller for 12 illuminators/projectors with 16 dmx channels each.
Technical Specifications
Pan and Tilt assignement
192 output channels, 30 programmable sequences with 8 scenes each
6 chase programmable
Audio input via built-in microphone or line, MIDI interface, Internal memory
DMX output via 3 pin XLR
DC 9-12V 300mA power supply included.
Weight: 4.83 lb.



SRC-144 54 Channel DMX Control Panel

\$180.00 This is a DMX control panel that offers 54 channels. It will handle up to 10 illuminators, providing you complete control over your system.

DMX cable -3', 10', 15', 20', 25', 50', 100', 150'

Link one or more DMX controlled illuminators to your DMX controller. 3-pin XLR (M) to XLR (F) DMX/Microphone cable

3' = \$7.49

10' = \$9.49

15' = \$11.49

20' = \$13.49

25' = \$15.49

50' = \$23.99

100' = \$39.99

150' = \$59.99

Dusk to Dawn Light Sensor

\$20.00 Retrofit programmable 1-8 Hr. Dusk to Dawn light sensor.

Outdoor 24 Hour Programmable Timer

\$25.00 Heavy duty digital outdoor timer

Indoor/Outdoor Wireless Remote

\$34.99 Wireless remote control comes with 1 transmitter and 1 indoor receiver and 1 outdoor receiver.

Used to turn unit on/off only

Del Lighting, Inc.

5331 Brewster
San Antonio, TX 78233

Voice: (210) 590-5196 Fax: (210) 590-4957